

Experimental marine ecosystem accounts in France

Adrien Comte, Solène Legrand, Frédéric Quemmerais-Amice, Yann Kervinio, Pierre Scemama, Rémi Mongruel, Félix Garnier, Léopold Virieux, Harold Levrel

MAIA conference. 20/09/2022 This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No 817527

Overview of MAIA supported innovation efforts in France

Account	Scale	Status	Type of publication	Reference
Global framework	Conceptual	Published	Working Paper	Comte, A., Kervinio, Y., Levrel, H., 2020. Ecosystem accounting in support of the transition to sustainable societies – the case for a parsimonious and inclusive measurement of ecosystem condition. CIRED working paper 2020-76
Extent and condition accounts for marine ecosystems	French Economic Exclusive Zone	In development	Technical report +code	
Monetary account of ecosystems liabilities	Conceptual	In development	Research article	Kervinio Y., Surun C., Comte A., Levrel H., (in prep), Focusing on what matters – Structuring ecosystem accounts for assessing an ecological debt in monetary terms. One Ecosystem
Monetary account of marine ecosystems liabilities	French Economic Exclusive Zone	In development	Research article	





Workshops organized & attended	Date	Participants
MAIA initial national workshop	June 2019	AgroParisTech, CIRED, French environment ministy/sustainable development (MTE/CGDD/SEEIDD), Ecological Accouting Chaire, French environment ministry/marine planning (MTE/DML), (SDES), French environment ministy/statistics
MAIA presentations	July 2019	Marine information system, French Biodiversity Office, National biodiversity observatory, AMURE laboratory
International Marine Ecosystem Accounting Workshop	October 2019	More than 20 participants
MAIA marine accounts for marine spatial planning	October 2019	French environment ministry/marine planning (MTE/DML)
Workshop on accounting innovation for environmental policies	January2021	AgroParisTech, CIRED, French environment ministy/sustainable development (MTE/CGDD/SEEIDD), Ecological Accouting Chaire, French environment ministry/marine planning (MTE/DML), (SDES), French environment ministy/statistics, CEREMA, French Biodiversity Office
MAIA Marine Accounting Webinar	May 2021	WUR, SYKE, NIWA, Global Ocean Accounts Partnership, Fisheries and Oceans Canada; National University of Ireland, AgroParisTech & CIRED
Symposium of the Ecological Accounting Chair	June 2021	More than 100 participants
OSPAR Natural Capital Accounting Special Meeting	July 2021	More than 30 participants
MAIA final national workshop	June 2022	AgroParisTech, CIRED, French environment ministy/sustainable development (MTE/CGDD/SEEIDD), Ecological Accouting Chaire, French environment ministry/marine planning (MTE/DML), (SDES), French environment ministy/statistics, French Biodiversity Office





Innovation needs on marine accounts

- Less developed than terrestrial ecosystems (13% Comte et al., under review ES)
- Limited conceptual or case studies (Lai et al., 2018; Dvarskas, 2019; Hooper et al., 2019; Wang et al., 2018; Franzese et al., 2017)
- Marine economic accounts, but not linked to SEEA EA (Fenichel et al., 2020; Greaker et al., 2017; Luazzani et al., 2019)







Resources mobilized for marine ecosystem accounts

- Marine Strategy Framework Directive (MSFD): Levrel et al., 2014, scientific reports on good ecological status and cost of degradation
- CarpeDiem (Quemmerais-Amice et al., 2020)
- French assessment of ecosystems and ecosystem services (EFESE)
- Not mobilized but interesting : ES recreation (Martin et al., 2018); input-output model and restoration (Cordier et al., 2011)

10001000000	Contents links available at ScienceDirect
750 A	Marine Policy
FLSEVIER	joeral henegage, www.ater/in.com/inationarpel
The maintenance co initial assessment o in France	sts of marine natural capital: A case study from the the Marine Strategy Framework Directive
Harold Levrel **, Céline Ja Schébérazade Aoubid *, A Julien Hay*, Yann Lauran	ncoh", Denis Ballly ¹⁵ , Mahe Churles ⁴ , Olivier Guyader ⁴ , deline Bas ¹⁵ , Alexia Cujus ⁴ , Marjolaine Frésard ⁴ , Sophie Girard ⁴ , s ¹ , Jerôme Paillet ⁴ , José A. Pérez Agündez ⁴ , Rémi Mongruel ⁴
*PROBELCAR CONTR. Marine according "sciences and music one controls, returns "sciences and active test from environment of "sciences and active test sciences, provide "sciences active test sciences, provide and "sciences" and active test science, provide and "sciences" active test sciences, provide and "sciences" active test sciences, provide and ac- tive sciences active test sciences. The science of the sciences active test sciences active test sciences.	(m), Once on Parks & Parks & Andrea, 2000 France & Parks & Sandre & Hore, or Parks & Sandre & 2004 France & Parks & Damper Labor, Parks & Parks & Parks & Parks & Damper Labor, Neuro Andrea 2, 2006 Hore, R. Parks & Dame.
	ABSTRACT
ARTICLE INFO	







⁶ Marine ecosystem extent and condition account

- MAIA funding : Adrien Comte (postdoc), Solène Legrand (intern), Léopold Virieux (intern)
- Involved partners: Ifremer, Ministry for the environment (MTE/CGDD), French Biodiversity Office
- Workshop with Ifremer, MTE/CGDD, Chaire Comptabilité Ecologique, French Biodiversity Office







Marine Strategy Framework Directive

European directive adopted in 2008 -Ambition to achieve a "good ecological status" for all the european countries

In France : organised in cycles of 6 years :

- -Initial evaluations
- -Survey
- -Policies adjustment







The descriptors : structure of the GES and environmental objectives



Source : https://msfd.eu/site/good-environmental-status/











Spatial model of ecosystems



Source: Adapted from SEEA EEA Figure 2.4 (UN et al., 2014b). Note that Ecosystem Assets (EA) represent individual, contiguous ecosystems. Ecosystem Types (ET) are EA of the same type.

EAAs: Metropolitan Exclusive Economic Zone, Marine Sub-Regions, Distance from Shore, Fishing zones



0.0°

5.0°E

10.0°E

Map projection : Lambert 93, EPSG : 2154 Grid : V/GS94, EPSG : 4326 Source des données : DCSIMM, https://geo.dsta.gouv.th/ , DCE, www.sandre.eaufrance.th/, ESRI

10.0°O

5.0°O





Extent account : benthic habitat map





Source: datasets adapted from the CarpeDiem project; Quemmerais-Amice et al. (2020)



What kind of ecosystem accounts do we need ?

• Need for

12

- plural valuation of ecosystems (Pascual et al., 2019)
- Link with policy & management needs
- Focusing on what matters
 - Ecosystem services
 - Non-instrumental values
 - Complexity, uncertainties, resilience and tipping point





List of indicators for the dimensions of marine ecosystem condition

Dimension	Current condition	Descriptors of the MSFD	Link to policy documents
Heritage	-Abundance of species (marine mammals, birds) -Red list -State of protected areas	-D1 (-D6)	MSFD, Habitat Directive, OSPAR, Barcelona, Natura2000
Capacity	-Fish stocks -Water quality	-D3 -D9	MSFD, WFD
Functionality	-Non-indigeneous species -Trophic levels -Physical integrity -Eutrophication -Marine debris -Nurseries & feeding grounds -Resilience metrics	-D2 -D4 -D5 -D6 -D8 -D10 -D11	MSFD, OSPAR, WFD







14

Condition account : integrity of the seafloor approximated as risk of concomitant effects of physical pressures



Projection carte : Lambert 93 / EPSG : 2154 Source : projet MAIA, France Data : CarpeDiem, OFB







Condition of benthic habitats Distribution of the risk on physical integrity

Maerl beds (A5.51)

Seagrass beds (A5.53)









Potential indicators for reference/target conditions

Dimension	Current condition	Reference condition	Link to policy documents		
Heritage	-Abundance of species (marine mammals, birds) -Red list -State of protected areas	-Non-declining abundances and surfaces -Level of captures -No-net loss of biodiversity -Protection of species and habitats -number of strandings	MSFD, Habitat Directive, OSPAR, Barcelona, Natura2000	-Available -Uncertain	
Capacity	-Fish stocks -Water quality	-MSY -Contaminants levels	MSFD, WFD	-Not available	
Functionality	-Trophic levels -Physical integrity -Eutrophication -Marine debris -Nurseries & feeding grounds -Resilience metrics	-Pollutants levels -Thresholds of chemical and biological variables -Trends in marine debris -Non-declining surfaces	MSFD, OSPAR, WFD		





17

Some examples of environmental targets and good ecological status

D5 : Eutrophication.

Objectives : 1) Reduce nutrient inputs (nitrates and phosphates), particularly from rivers leading to eutrophied marine areas.

2) Reduce nutrient inputs (nitrates and phosphates), particularly from small coastal rivers that flow into sensitive marine areas due to their confinement or the presence of habitats sensitive to these inputs.

D3 : Fish stocks

Objective : 1) According to the Common Fisheries Policy (CFP) adjusting fishing mortality to achieve maximum sustainable yield (MSY) for fish stocks covered by international and European recommendations



km²





Conceptual framework of ecosystem accounts with

maintenance costs

ΛΔΙΔ



What kinds of costs can be included?

Source: adapted from Levrel et al. 2014. Marine Policy





Application to French marine ecosystems

	Descriptor	Source	Kind of data used				
	Biodiversity	OFB, 2020	Financial needs estimates for the application of sea-based Natura 2000 sites				
		Scemama et al., 2020	Report on the evaluation of the Natura 2000 network costs for marine habitats				
	Fishing stocks	(Foucher et Delaunay 2018)	MSFD scientific assessment				
		(Mongruel, Bailly, et Jacob 2019)	Degradation costs synthesis, MSFD evaluation				
TANK PLAN		French government	Bundle of decrees on fishing vessels outings				
	Eutrophication	(Devreker et Lefebvre 2018)	MSFD scientific assessment				
		(Mongruel, Bailly, et Jacob 2019)	Degradation costs synthesis, MSFD evaluation				

20

First approximations of unpaid ecological costs

- Linear relation between ecosystem condition and cost
- Unpaid ecological cost are yearly expenses
- Only monitoring costs and avoidance costs, no restoration costs for eutrophication and fishing
 - Natural regeneration







Unpaid ecological costs for eutrophication



22

Unpaid ecological costs for fishing

400,000,000 €		400,000,000 €					
350,000,000 €		350,000,000 €					
300,000,000 €	Monitoring costs	300 000 000 €		Pre	vention c	osts	
250,000,000 €		300,000,000 €					
200,000,000 €		250,000,000 €				Debt: 126.082.288	
150,000,000 €	Debt: 68,125,179 €	200,000,000 €				€	
100,000,000 €	Current cost,	150,000,000 €					_
50,000,000 €	23,900,000 €	100,000,000 €				Current cost 58,783,233 €	; ; -
Net DU	Nord Nercettic cascoalte ocidentale ontic lone	50,000,000 €				_	
Manchen	Coll de stramee	0€	Manche Mer	Mer Celtic	Golf de	Mediterrannee	Exclusive
12	mediter Etchut		du Nord		Gascoghe	Occidentale	Economic Zone





23

Yearly UEC for France by sub-region and for France

	ECNS	cs	ВоВ	WM	France
D1 - OFB	19,911,500€	19,911,500€	19,911,500€	19,911,500€	79,646,000€
D1 -	2,834,750€ -	2,834,750€ -	2,834,750€ -	2,834,750€ -	11,339,000€ -
DOCOBs	3,825,000€ -	3,825,000€ -	3,825,000€ -	3,825,000€ -	15,300,000€ -
D3 - MSFD	28,287,000€ -	26,144,000€-	81,054,000€ -	58,724,000€ -	194,207,000€ -
	100,832,000€ -	94,145,000	408,958,000€ -	99,683,000€ -	703,618,000€ -
D1 + D3 + D6 – outing of trawlers	91,534,000€	35,164,000€	144,486,000€	16,008,000€	287,192,000€
D5 - MSFD	3,049,000€ -	29,074,000€ -	2,164,000€ -	213,000€ -	34,500,000€ -
	8,209,000€ -	44,207,000€ -	16,874,000€ -	10,320,000€	79,583,000€ -





Policy use of marine ecosystem accounts

- Facilitate the examination of applications for offshore development permits under Article L219-4 of the French Environmental Code.
- Build standardized indicators to monitor the achievement of specific policy objectives, including spatially-explicit strategic objectives
- Monitor environmental degradation & restoration
- •Assist in the identification of data gap
- Harmonize and integrate existing ecosystem monitoring processes
- Ease access to data
- Analyze trends over time and between countries
- Foster the development of more integrated policies
- Relate state of ecosystems to economic agents

Inform marine spatial planning



Coupled with compensation measures







What policy use for cost-based valuations of ecosystems ?

- Complement new dashboard of indicators of wealth : Make ecosystem degradation visible in the nations' performance indicators (GDP) to raise awareness and put solutions on the agenda
- Contribute to biodiversity resource mobilization efforts : Facilitate the calculation of the costs of marine degradation required in the initial assessment of the MSFD implementation cycles
- Build standardized indicators to monitor the achievement of specific policy objectives
- Foster the creation and dissemination of data on feasible actions, their impacts and their costs : Lead to a fairer distribution of means and resources allocated to projects with a positive environmental impact
- Support the design of innovative policy instruments such as ecological taxes and permits
- Annex to the Finance law
- Residual impacts of European Directive (WFD, MSFD), budget needs to attain Good Ecological Status and green deal restoration objectives





Conclusion from the National workshop

Choice on a scale (15 answers)	1 (absolutely not)	2	3	4	5	6	7	8	9	10 (totall y)
Do you think extent and condition marine ecosystem accounts will be integrated in policy-making?	1	1	3	2	2	0	2	1	0	0
Do you think marine ecological debt accounts will be integrated in policy-making?										
	3	3	1	2	3	1	0	0	0	0

- Marine accounts are not on the political agenda (Eurostat will require terrestrial accounts)
- Marine accounts not on the agenda of the MSFD next cyle





Thank you for your attention

<u>Comte@centre-cired.fr</u> / <u>adrien.comte@atos.net</u>

Levrel@centre-cired.fr





